# Subject Index to Volume 33


A

A6 cells, regulation of membrane ion transport, nucleotide receptors, F867
Acid
  effects of calcitonin, function of intercalated cells, cortical collecting duct, F221
  -loaded mothers, induction, intercalated cell changes in pups, F415
Acid-base
  ammonium and bicarbonate transport
    ascending limbs of loop of Henle (chinchilla), F837
    long-loop thin descending limb, F397
  bicarbonate transport, cortical collecting duct, alkalosis, F435
$\alpha_1$-Acid glycoprotein, transcriptional augmentation, hepatic gene expression, Heymann nephritis, F441
Acidification
  adaptation, inner medullary collecting duct cells, F765
  stimulation of $Na^+/H^+$ antiporter, glucocorticoids, OKP cells, F1027
Acidosis
  functional identification of H-K-ATPase, intercalated cells, cortical collecting tubule, F259
  respiratory, acute and chronic hyponatremia, brain buffering, F968
Actinomycin, stimulation of $Na^+$-$P_i$ cotransport, calcitriol, opossum kidney cells, F404
Acute phase proteins, transcriptional augmentation, hepatic gene expression, Heymann nephritis, F441
Adenosine
  anemia and effects on morphology, renal cortex, F608
  distribution and regulation, renal ecto-5′-nucleotidase, F377
Adenosine monophosphate, cyclic
  arginine vasopressin-stimulated accumulation, inhibition by protein kinase C, $G_i$-dependent mechanism, F216
  -dependent control of $Na^+/H^+$ antiport, AVP/PTH/$PGE_2$, medullary thick ascending limb cells, F354
  enhanced second messenger accumulation, hypertonic sucrose treatment, vasopressin-sensitive cells, F228
  -independent G protein-linked inhibition, $Na^+/H^+$ exchange, $D_1$ dopamine agonists in renal brush border, F1032
  vasopressin-induced contraction, inhibition by parathyroid hormone, F453
  vasopressin and density, apical low-conductance $K^+$ channels, cortical collecting duct, F502
Adenosine triphosphatases, transport, changes, potassium adaptation in hypothyroidism, F31
Adenosine triphosphate
  extracellular, modulation, tubuloglomerular feedback, F458
  -sensitive $K^+$ channel, $Na^+$ pump inhibition, proximal convoluted tubule, F760
Adenylate cyclase
  -dopamine receptor defect, nephron specificity, spontaneous hypertension, F274
  impaired activation, decreased $G_s$ protein expression, kidney, F770
  vasopressin-sensitive, short-term effect of aldosterone, collecting tubule, F821
Adenylyl cyclase
  arginine vasopressin-stimulated cAMP accumulation, inhibition by protein kinase C, $G_i$-dependent mechanism, F216
  bicarbonate-activated, fluid-transporting tissues, F1060
  G protein-linked inhibition of $Na^+/H^+$ exchange, $D_1$ dopamine agonists, renal brush border, F1032
Adrenalectomy, collecting tubule, short-term effect of aldosterone, vasopressin-sensitive adenylate cyclase, F821
Adrenal gland, role of tissue renin angiotensin system, two-kidney/one-clip hypertensive rats, F510
Aging, kidney, decreased $G_s$ protein expression, impaired adenylate cyclase activation, F770
L-Alanine, renal $Na^+$-phosphate cotransport, autocrine/paracrine regulation, dopamine, F618
Albumin
  oncotic effects, renal tubular basement membrane, F328
  protein concentrations and, oncotic pressure, nephrotic plasma, F1052
  transcriptional augmentation, hepatic gene expression, Heymann nephritis, F441
Aldosterone
  acute and early effects, Na-K-ATPase activity, Madin-Darby cells, F1021
  mineralocorticoid and glucocorticoid receptor mRNA, distribution along nephron, F781
  short-term effect, vasopressin-sensitive adenylate cyclase, collecting tubule, F821
  sweat rate and composition, plasma prolactin, exercise in men, F816
Alkali
  effects of calcitonin, function of intercalated cells, cortical collecting duct, F221
  -loaded mothers, induction, intercalated cell changes in pups, F415
Alkalinization, acidification adaptation, inner medullary collecting duct cells, F765
Alkalosis, chronic, enhanced $HCO_3$ secretion, distal tubule, F899
Aluminum, inhibition of bone nodule formation, calcification, F882
Amiloride
  effects of formate and oxalate, chloride absorption, distal tubule, F730
  feedback regulation of Na channels, cortical collecting tubule, F565
L-Amino acid decarboxylase, renal $Na^+$-phosphate cotransport, autocrine/paracrine regulation, dopamine, F618
Amino acids, osmotic adaptation, transition from chronic diuresis to antidiuresis, renal medullary cells, F722
Aminoglycoside, ischemia-enhanced binding, uptake by proximal tubule cells, F907
*p*-Amminohippurate, transport of organic anion, OK kidney epithelial cell line, F975
Ammonium
  bicarbonate transport and
    long-loop thin descending limbs (chinchilla, rat), F388
    long-loop thin descending limb, alkalinization of luminal fluid, F397
  transport, ascending limbs of loop of Henle (chinchilla), F837
Anemia
  distribution and regulation, renal ecto-5′-nucleotidase, adenosine functions, F377
  effects of morphology of renal cortex, F608
Angiogenesis, kidney development, three splicing variants, fibroblast growth factor receptor-1, F66
Angiotensin, potassium chloride responses and, diltiazem, renal arterioles, F134
Angiotensin-converting enzyme, angiotensin II, proximal tubular secretion, F891
Angiotensin-converting enzyme inhibitor, acute endothelial-derived relaxing factor blockade, no mediation by angiotensin II, renal effects, F74
Angiotensin I, -converting enzyme gene expression, influence of dietary protein, F981
Angiotensin II
  antagonism of actions by dopamine, renal brush-border membrane, F737
  captopril effect, fluctuations of blood pressure, renal blood flow, F37
  -induced mitogenesis, modulation by endothelin, human mesangial cells, F937
  no mediation, acute endothelial-derived relaxing factor blockade, renal effects, F74
  pressure-induced natriuresis, attenuation, inhibition of nitric oxide synthesis, F79
  proximal tubular secretion, F891
  role of mesangial cell in glomerular response, F158
  slow component of autoregulation, renal blood flow, F515
  tissue RAS, two-kidney/one-clip hypertensive rats, F510
Angiotensinogen, renal renin and ANG I-converting enzyme gene expression, influence of dietary protein, F981
Anion, organic, transport of, OK kidney epithelial cell line, F975
Anion channels, high-conductance, regulation by G proteins and 5-$HT_{1A}$ receptors, CHO cells, F490

Anion exchange, effects of formate and oxalate, chloride absorption, distal tubule, F730
Anions
  bicarbonate transport, cortical collecting duct, alkalosis, F435
  kidney band 3 $Cl^-/HCO_3^-$ messenger RNA, transcription from an alternative promoter, F540
ANF: *see* Atrial natriuretic factor
ANP: *see* Atrial natriuretic peptide
Antidiuresis, transition from chronic diuresis, osmotic adaptation, renal medullary cells, F722
Antidiuretic hormone: *see also* Vasopressin
  cAMP-dependent control by AVP, $Na^+/H^+$ antiport, medullary thick ascending limb cells, F354
Antioxidants, autooxidation of cysteine, hydrogen peroxide, attenuation by pyruvate, F306
Arginase, arginine synthesis in nephrons, localization, functional significance, F1038
Arginine
  synthesis in nephrons, localization, functional significance, F1038
  vasopressin: *see* Vasopressin, arginine
Arginine-glycine-aspartic acid, regulation of renal epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
Arterioles
  endothelin-induced renal constriction, cyclooxygenase, F637
  renal, potassium chloride and angiotensin responses, diltiazem, F134
Ascites, urinary sodium excretion, mannitol and ANP combined infusions, chronic caval dogs, F206
ATP: *see* Adenosine triphosphate
ATPase: *see* Adenosine triphosphatase; Hydrogen-potassium-ATPase; Sodium-ATPase; Sodium-potassium-ATPase
Atrial natriuretic factor
  atrial natriuretic peptide kinetics, sodium intake, normal men, F480
  binding properties and stimulation, urodilatin, cGMP generation in kidney cells, F267
  characterization of neural endopeptidase, vascular smooth muscle cells, renal cortex, F45
Atrial natriuretic peptide
  kinetics in normal men, tracer method, correlation with sodium intake, F480
  mannitol and, urinary sodium excretion, chronic caval dogs, F206
  mesangial cell production of endothelin, inhibition by natriuretic peptides, induction by arginine vasopressin, F678
Atriopeptin, sweat rate and composition, plasma prolactin, exercise in men, F816
Autoregulation
  control of renal outer medullary circulation, sex differences, role of prostaglandins, F629
  intravascular pressure, preglomerular juxtamedullary vessels, F315
  mechanisms of temporal variation, single-nephron blood flow, F427
  renal blood flow differences and, SHR and WKY rats, F166
  slow component, angiotensin II, renal blood flow, F515
Autoxidation, cysteine, hydrogen peroxide generation, attenuation by pyruvate, F306
AVP: *see* Vasopressin, arginine

**B**

Bafilomycin
  evidence against proton pump, proximal convoluted tubule, F175
  -sensitive $H^+$ pump, metabolic cost, proximal tubules, F655
Betaine
  determinants of relative amounts, medullary organic osmolytes, F472
  osmotic adaptation, transition from chronic diuresis to antidiuresis, renal medullary cells, F722
  transport, renal brush-border membrane vesicles, F948
Bicarbonate
  -activated adenylyl cyclase, fluid-transporting tissues, F1060
  ammonium transport and
    long-loop thin descending limb, alkalinization of luminal fluid, F397
    long-loop thin descending limbs (chinchilla, rat), F388
  basolateral conductance, cell volume regulation, proximal convoluted tubule, F365
  enhanced secretion by distal tubule, NaCl-induced correction, chronic alkalosis, F899
  kidney band 3 $Cl^-/HCO_3^-$ messenger RNA, transcription from and alternative promoter, F540
  transport
    ascending limbs of loop of Henle (chinchilla), F837
    cortical collecting duct, alkalosis, F435
Blastema, metanephric, transforming growth factor-$\beta$1, F996
Blood flow: *see also* Circulation; Microcirculation
  intrarenal, assessment of changes, laser-Doppler flowmetry, F956
  renal
    differences in dynamic autoregulation, SHR and WKY rats, F166
    effect of captopril, fluctuations of blood pressure, F37
    outer medullary, sex differences, role of prostaglandins, F629
    slow component of autoregulation, angiotensin II, F515
  single-nephron, mechanisms of temporal variation, F427
Blood pressure: *see also* Pressure
  acute endothelial-derived relaxing factor blockade, no mediation by angiotensin II, renal effects, F74
  characterization of renal aldosterone receptors, genetically hypertensive rats, F286
  fluctuations of, effect of captopril, renal blood flow, F37
  glomerular, locally produced EDRF, ultrafiltration coefficient, F212
  modulation by dietary calcium, $\alpha_1$-adrenergic receptors, F234
  phorbol ester and dopamine $DA_1$ receptors, interaction, vascular smooth muscle, F24
  prevention of decrease in diuresis and natriuresis, exogenous cGMP, inhibition of NO synthesis, F344
  slow component of autoregulation, angiotensin II, renal blood flow, F515
Bone, nodule formation and calcification, inhibition by aluminum, F882
BQ 123, endothelin-1 and endothelin-3, binding to nephrons, F827
BQ 3020, endothelin-1 and endothelin-3, binding to nephrons, F827
Bradykinin
  potential for vascular constriction, presence of endothelial injury, F322
  receptors on mesangial cells, F548
Brain
  buffering, acute and chronic hyponatremia, F968
  natriuretic peptides, inhibition of mesangial cell production, endothelin, F678
  role of tissue renin angiotensin system, two-kidney/one-clip hypertensive rats, F510
  volume, organic osmolytes, acute hyponatremia, F833
8-Bromoadenosine 3′,5′-cyclic monophosphate, cAMP-dependent control by AVP, $Na^+$-$H^+$ antiport, medullary thick ascending limb cells, F354
Bromocriptine, sweat rate and composition, plasma prolactin, exercise in men, F816
Brush border, renal, inhibition of $Na^+/H^+$ exchange, $D_1$ dopamine agonists, F1032
Brush-border membrane, renal
  antagonism of actions of angiotensin II dopamine, F737
  gp330/44-kDa Heymann nephritis, biosynthesis in endoplasmic reticulum, F1011
  metabolic cost of bafilomycin-sensitive $H^+$ pump, proximal tubules, F655
  vesicles, betaine transport, kidney, F948
Brushite, regulation of renal epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
BS-C-1 cells, integrin redistribution and dysfunction, oxidative stress, renal epithelial cells (monkey), F149
Buffering, brain, acute and chronic hyponatremia, F968

**C**

Calcitonin
  calcium transport, renal epithelial cells, F181
  function of intercalated cells, cortical collecting duct, F221
  stimulation of calcium transport, distal convoluted tubule cells, F744
Calcitriol, stimulation of $Na^+$-$P_i$ cotransport, genomic mechanism, subclone of opossum kidney cells, F404
Calcium
  bradykinin receptors on mesangial cells, F548
  calcification, bone nodule formation, inhibition by aluminum, F882
  cAMP-dependent control by AVP, $Na^+/H^+$ antiport, medullary thick ascending limb cells, F354
  decreased $G_s$ protein expression, impaired adenylate cyclase activation, F770

dietary, modulation of blood pressure, $\alpha_1$-adrenergic receptors, F234
feedback regulation of Na channels, cortical collecting tubule, F565
transport
renal epithelial cells, F181
stimulation by calcitonin, distal convoluted tubule cells, F744
Calcium channels, potassium chloride responses and angiotensin, diltiazem, renal arterioles, F134
Calcium-hydrogen exchange, basolateral membrane, outer medullary collecting duct, F88
Calcium ions
bradykinin, potential for vascular constriction, presence of endothelial injury, F322
protein kinase C and, endothelin activation, phospholipase D, F845
Calcium oxalate, monohydrate crystals, regulation, renal epithelial cell endocytosis (monkey), F800
cAMP: *see* Adenosine monophosphate, cyclic
Capillaries, anemia and effects on morphology, renal cortex, F608
Captopril
fluctuations of blood pressure, renal blood flow, F37
scavenging of hydrogen peroxide, reduction, oxidant-induced cell injury, F120
Carbidopa, autocrine/paracrine regulation by dopamine, renal $Na^+$-phosphate cotransport, F618
Carbon dioxide, loading, acute and chronic hyponatremia, brain buffering, F968
Carbonic anhydrase
ammonium and bicarbonate transport
ascending limbs of loop of Henle (chinchilla), F837
long-loop thin descending limbs (chinchilla, rat), F388
CD18, anti-CD11b monoclonal antibody, attenuation, immune-mediated glomerulonephritis, F715
Cell culture
kidney cells, cGMP generation, urodilatin binding properties, F267
novel K-channel gene expression, distal tubule, kidney, F128
OK kidney epithelial cell line, transport of organic anion, F975
renal $Na^+$-phosphate cotransport, autocrine/paracrine regulation, dopamine, F618
Cell cycle
induction of DNA synthesis by urea, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
Cell volume: *see* Volume
c-*fos*, induction of expression by urea, renal epithelial cells, F593
cGMP: *see* Guanosine monophosphate, cyclic
Chinese hamster ovary cells, regulation of high-conductance anion channels, G proteins and 5-$HT_{1A}$ receptors, F490
Chloride
absorption, effects of formate and oxalate, distal tubule, F730
reabsorption, correction with potassium infusion, aldosterone-independent mechanism, F792
Chloride-bicarbonate exchange, sodium-dependent, basolateral Cl transport, proximal tubules, F251
Chloride-bicarbonate exchanger
basolateral membrane $Ca^{2+}/H^+$ exchange, outer medullary collecting duct, F88
kidney band 3, messenger RNA, transcription from alternative promoter, F540
Chloride channels, regulation of membrane ion transport, nucleotide receptors, renal epithelial cells, F867
Chloride ions
ammonium and bicarbonate transport, long-loop thin descending limb, F397
basolateral conductance
cell volume regulation, proximal convoluted tubule, F365
Na-dependent $Cl/HCO_3$ exchange, proximal tubules, F251
bicarbonate transport, cortical collecting duct, alkalosis, F435
regulation of high-conductance anion channels, G proteins and 5-$HT_{1A}$ receptors, CHO cells, F490
water transport and, endothelin-1, cortical collecting ducts, F690
Chlorine, high-affinity thiazide receptor, immunocytochemistry, renal cortex, F141
Cholera toxin, regulation of high-conductance anion channels, G proteins and 5-$HT_{1A}$ receptors, CHO cells, F490
Cholesterol, macrophages and gene expression, TGF-$\beta$1 and fibronectin, nephrosis, F577
Chromatography, DNA-cellulose, intestinal calcitriol receptor concentration, renal failure, F662
Circulation: *see also* Blood flow; Microcirculation
renal outer medullary, sex differences on control of, role of prostaglandins, F629
Coagulation, transcriptional augmentation, hepatic gene expression, Heymann nephritis, F441
Collagens
$\alpha_1$-VIII, expression in glomerulus, resident glomerular cells, F1003
fibronectin metabolism, mesangial cells, F106
Converting-enzyme inhibition, slow component of autoregulation, angiotensin II, renal blood flow, F515
Copper, autooxidation of cysteine, hydrogen peroxide generation, attenuation by pyruvate, F306
Corticosterone, activity of 11$\beta$-hydroxysteroid activity, effects of 11-dehydrocorticosterone (toad), F854
Cycloheximide
calcium transport, stimulation by calcitonin, distal convoluted tubule cells, F744
stimulation of $Na^+$-$P_i$ cotransport, calcitriol, opossum kidney cells, F404
Cyclooxygenase, endothelin-induced renal arteriolar constriction, F637
Cysteine
autooxidation, generation of hydrogen peroxide, attenuation by pyruvate, F306
scavenging of hydrogen peroxide by captopril, reduction, oxidant-induced cell injury, F120
Cytokines, mRNA expression, erythrocyte-perfused kidney, F774
Cytoskeleton, integrin receptors, renal tubular epithelium, acute renal failure, F1


## D


Deoxyribonucleic acid, induction of synthesis by urea, renal epithelial cells, F601
1-Desamino-8-D-arginine, apical $V_1$ receptor, cortical collecting duct, F467
Des-9-arginine bradykinin, bradykinin receptors on mesangial cells, F548
Dexamethasone, stimulation of $Na^+/H^+$ antiporter, OKP cells, F1027
Dextran
glomerular size selectivity, protein overload, F1046
oncotic effects, renal tubular basement membrane, F328
Diabetes insipidus, metabolic clearance in pregnancy, vasopressin and an analogue resistant to vasopressinase, F348
Diabetes mellitus, streptozotocin-induced renal changes, isogenic Lewis rats, transplantation, F100
Diet: *see* Feeding
Diltiazem, potassium chloride and angiotensin responses, renal arterioles, F134
Disulfonic stilbene, effects of formate and oxalate, chloride absorption, distal tubule, F730
Diuresis
prevention of decrease by exogenous cGMP, inhibition of NO synthesis, F344
transition to antidiuresis, osmotic adaptation, renal medullary cells, F722
Diuretics, high-affinity thiazide receptor, immunocytochemisty, renal cortex, F141
Dopamine
antagonism of actions of angiotensin II, renal brush-border membrane, F737
autocrine/paracrine regulation, renal $Na^+$-phosphate cotransport, F618
$D_{1A}$ gene expression, renal proximal tubule, F280
receptor-adenylate cyclase defect, nephron specificity, spontaneous hypertension, F274


## E


Ecto-5′-nucleotidase, renal, distribution and regulation, adenosine, F377
Edema, urinary sodium excretion, mannitol and ANP combined infusions, chronic caval dogs, F206
Eicosanoids
anti-CD11b monoclonal antibody, attenuation, immune-mediated glomerulonephritis, F715
thromboxane binding and signal transduction, glomerular mesangial cells, F292
Electrolytes, osmotic adaptation, transition from chronic diuresis to antidiuresis, renal medullary cells, F722

Embryogenesis, kidney development, three splicing variants, fibroblast growth factor receptor-1, F66
Enalaprilat
  angiotensin II, proximal tubular secretion, F891
  scavenging of hydrogen peroxide by captopril, reduction, oxidant-induced cell injury, F120
Endocytosis
  enhanced second messenger accumulation, hypertonic sucrose treatment, vasopressin-sensitive cells, F228
  ischemia-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
  kinetics, ruthenium red as membrane marker, renal proximal tubule, F239
  renal epithelial cell, calcium oxalate monohydrate crystals (monkey), F800
Endoplasmic reticulum, biosynthesis, gp330/44-kDa Heymann nephritis antigenic complex, F1011
Endothelial cells, scavenging of hydrogen peroxide by captopril, reduction, oxidant-induced cell injury, F120
Endothelin
  activation of phospholipase D, dual modulation, protein kinase C and $Ca^{2+}$, F845
  -induced renal arteriolar constriction, cyclooxygenase, F637
  mesangial cell production, inhibition by natriuretic peptides, induction by arginine vasopressin, F678
  modulation of angiotensin II-induced mitogenesis, human mesangial cells, F937
Endothelin-1
  endothelin-3 and, binding to nephrons, F827
  production and messenger RNA expression, hyperosmolality, inner medullary collecting duct, F684
  water and chloride transport, cortical collecting ducts, F690
Endothelium
  -derived NO, pressure-dependent renin release, F943
  injury, bradykinin, potential for vascular constriction, F322
Endothelium-derived relaxing factor
  local production, control of preglomerular resistance, ultrafiltration coefficient, F212
  renal effects, no mediation by angiotensin II, F74
Endotoxin, LPS-induced MCP-1, IL-1$\beta$ and TNF-$\alpha$ mRNA, erythrocyte-perfused kidney, F774
Epidermal growth factor
  prostaglandin $E_2$ and, inhibition of $Na^+$ transport, cortical collecting duct, F670
  soluble, ischemia, decreased membrane-associated precursors, F523
Epithelial cells
  renal
    endocytosis of calcium oxalate monohydrate crystals (monkey), F800
    inhibition of phosphate transport, TGF-$\beta$ (human, opossum), F623
    integrin redistribution and dysfunction, oxidative stress (monkey), F149
    regulation of membrane ion transport, nucleotide receptors, F867
Epithelium
  ammonium and bicarbonate transport, ascending limbs of loop of Henle (chinchilla), F837
  proximal tubule, cloning, kidney cortex $AT_1$ angiotensin II receptor, F645
  renal cells, calcium transport, F181
  renal tubular
Erythrocytes, -perfused kidney, LPS-induced MCP-1, IL-1$\beta$ and TNF-$\alpha$ mRNA, F774
Erythropoietin
  anemia and effects on morphology, renal cortex, F608
  distribution and regulation, renal ecto-5′-nucleotidase, adenosine functions, F377
Euvolemia, homeostatic efficiency, tubuloglomerular feedback, F930
Exercise, men, sweat rate and composition, plasma prolactin, F816
Extracellular matrix
  integrin redistribution and dysfunction, renal epithelial cells, oxidative stress (monkey), F149
  TIMP-1 mRNA and TIMP-2 protein and mRNA, human glomeruli, F923
  $\alpha_1$-VIII collagen expression, resident glomerular cells, F1003
Eye, ciliary processes, bicarbonate-activated adenylyl cyclase, fluid-transporting tissues, F1060

F

Fatty acids, free, glycine protection in hypoxic injury, proximal tubules, F94
Feedback
  regulation of sodium channels, cortical collecting tubule, F557, F565
  tubuloglomerular
    differences in dynamic autoregulation, renal blood flow, F166
    fluctuations of blood pressure and renal blood flow, captopril effect, F37
    homeostatic efficiency, F930
    mechanisms of temporal variation, single-nephron blood flow, F427
    modulation of responsiveness, extracellular ATP, F458
Feeding
  calcium diet, modulation of blood pressure, $\alpha_1$-adrenergic receptors, F234
  high-salt diet, upregulation of activity and mRNA, renal $Na^+$-$K^+$-ATPase, F448
  protein diet, renal renin, angiotensinogen and ANG I-converting enzyme gene expression, F981
Fetus: *see also* Pregnancy
  induction of intercalated cell changes in pups, acid- and alkali-loaded mothers, F415
Fibroblast growth factor, receptor 1, three splicing variants, kidney development, F66
Fibroblasts
  anemia and effects on morphology, renal cortex, F608
  distribution and regulation, renal ecto-5′-nucleotidase, adenosine functions, F377
Fibronectin
  gene expression during nephrosis, cholesterol and macrophages, TGF-$\beta$1, F577
  metabolism by mesangial cells, effects of collagens, F106
  regulation of renal epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
Flowmetry, laser-Doppler, intrarenal blood flow, F956
Fluid, -transporting tissues, bicarbonate-activated adenylyl cyclase, F1060
Formate, oxalate and, chloride absorption, distal tubule, F730
Forskolin
  bicarbonate-activated adenylyl cyclase, fluid-transporting tissues, F1060
  decreased $G_s$ protein expression, impaired adenylate cyclase activation, F770
  vasopressin and density, apical low-conductance $K^+$ channels, cortical collecting duct, F502
Fura-2, calcium transport, stimulation by calcitonin, distal convoluted tubule cells, F744
Furosemide, regulation of membrane ion transport, nucleotide receptors, renal epithelial cells, F867

G

Genes
  dopamine $D_{1A}$ expression, renal proximal tubule, F280
  hepatic expression, transcriptional augmentation, Heymann nephritis, F441
  induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
  role of tissue renin angiotensin system, two-kidney/one-clip hypertensive rats, F510
  stimulation of $Na^+$-$P_i$ cotransport, calcitriol, subclone of opossum kidney cells, F404
  TIMP-1 mRNA and TIMP-2 protein and mRNA, human glomeruli, F923
  transcription in MDCK cells, $Na^+$-*myo*-inositol cotransporter, hypertonicity, F20
  transforming growth factor-$\beta$1 and fibronectin, cholesterol and macrophages, nephrosis, F577
  upregulation of renin-angiotensin system, downregulation of kallikrein, obstructive nephropathy, F874
Gentamicin, ischemia-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
Glomerular filtration rate
  acute endothelial-derived relaxing factor, blockade, no mediation by angiotensin II, F74
  effects of IGF-I on renal function, chronic renal failure, F917
  protein and albumin concentrations, oncotic pressure, nephrotic plasma, F1052
Glomerulonephritis, immune-mediated, attenuation, anti-CD11b monoclonal antibody, F715
Glomerulonephropathy, TGF-$\beta$1 and fibronectin messenger RNA levels, nephrosis, F577

Glomerulosclerosis
effect of morphine, uptake of IgG complexes, mesangial cells and macrophages, F859
TGF-$\beta$1 and fibronectin messenger RNA levels, nephrosis, F577
TIMP-1 mRNA and TIMP-2 protein and mRNA, human glomeruli, F923
Glucocorticoids
activity of 11$\beta$-hydroxysteroid activity, effects of 11-dehydrocorticosterone (toad), F854
characterization of neural endopeptidase, vascular smooth muscle cells, renal cortex, F45
receptor mRNA distribution along nephron, F781
stimulation of $Na^+/H^+$ antiporter, OKP cells, F1027
Glucose, angiotensin II-induced mitogenesis, modulation by endothelin, human mesangial cells, F937
Glycerol
induction of DNA synthesis by urea, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
Glycerophosphorylcholine
determinants of relative amounts, medullary organic osmolytes, F472
osmotic adaptation, transition from chronic diuresis to antidiuresis, renal medullary cells, F722
Glycine
betaine transport, renal brush-border membrane vesicles, F948
protection against hypoxic injury, proximal tubules, F94
Glycoprotein, Tamm-Horsfall, renal epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
gp330, 44-kDa Heymann nephritis antigenic complex, biosynthesis, endoplasmic reticulum, F1011
G proteins
$G_i$-dependent mechanism, arginine vasopressin-stimulated accumulation, inhibition by protein kinase C, F216
5-$HT_{1A}$ receptor distribution, immunohistochemical mapping, kidney, F9
-linked inhibition of $Na^+/H^+$ exchange, $D_1$ dopamine agonists, renal brush border, F1032
regulation of high-conductance anion channels, CHO cells, F490
stimulating, impaired adenylate cyclase activation, kidney, F770
Growth factors: *see also* specific types
angiotensin II-induced mitogenesis, modulation by endothelin, human mesangial cells, F937
characterization of neural endopeptidase, vascular smooth muscle cells, renal cortex, F45
Guanosine monophosphate, cyclic
characterization of neural endopeptidase, vascular smooth muscle cells, renal cortex, F45
C-type natriuretic peptide receptors and signaling, rectal gland (shark), F300
exogenous, prevention of decrease in diuresis and natriuresis, inhibition of NO synthesis, F344
generation in kidney cells, binding properties and stimulation, urodilatin, F267
Guanylate cyclase
cGMP generation in kidney cells, binding properties and stimulation, urodilatin, F267
C-type natriuretic peptide receptors, signaling, rectal gland (shark), F300

## H

Halothane, differences in dynamic autoregulation, renal blood flow, SHR and WKY rats, F166
Henle's loop
ammonium and bicarbonate transport, long-loop thin descending limbs (chinchilla, rat), F388
correction of thick ascending limb Cl reabsorption, potassium infusion, aldosterone-independent mechanism, F792
long-loop thin descending limb, ammonium and bicarbonate transport, F397
perfusion of thin limb segments, urea and NaCl permeabilities (chinchilla), F337
thick ascending limb
ammonium and bicarbonate transport (chinchilla), F837
Cl reabsorption, potassium infusion, F792
Heparin, regulation of renal epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
Heroin, effect of morphine, uptake of IgG complexes, mesangial cells and macrophages, F859
Histochemistry, kinetics of endocytosis, renal proximal tubule, ruthenium red as membrane marker, F239
Hydrogen peroxide
generation, autooxidation of cysteine, attenuation by pyruvate, F306
oxidative stress, integrin redistribution and dysfunction, renal epithelial cells (monkey), F149
scavenging by captopril, reduction, oxidant-induced cell injury, F120
Hydrogen-potassium-ATPase, functional identification in intercalated cells, cortical collecting tubule, F259
Hydronephrosis, upregulation of renin-angiotensin system, downregulation of kallikrein, obstructive nephropathy, F874
Hydropenia, homeostatic efficiency, tubuloglomerular feedback, F930
11$\beta$-Hydroxysteroid dehydrogenase, activity in bladder, effects of 11-dehydrocorticosterone (toad), F854
Hyperfiltration, phosphorus restriction, renal response, oral and intravenous protein loads, F752
Hyperosmolality, production and messenger RNA expression, ET-1, inner medullary collecting duct, F684
Hypertension
differences in dynamic autoregulation, renal blood flow, SHR and WKY rats, F166
genetic, characterization, renal aldosterone receptors, F286
high-salt diet, upregulation of activity and mRNA, renal $Na^+$-$K^+$-ATPase, F448
spontaneous, nephron specificity, dopamine receptor-adenylate cyclase defect, F274
upregulation of renin-angiotensin system, downregulation of kallikrein, obstructive nephropathy, F874
Hyponatremia
acute, organic osmolytes, F833
acute and chronic, brain buffering, F968
Hypophosphatemia, effects of phosphorus restriction, renal response, oral and intravenous protein loads, F752
Hyposmotic media, stimulation of $P_i$ transport, opossum kidney cells, F585
Hypothyroidism, potassium adaptation, changes, transport adenosine triphosphatases, F31
Hypoxia
anemia and effects on morphology, renal cortex, F608
distribution and regulation, renal ecto-5′-nucleotidase, adenosine functions, F377
protection from injury by glycine, proximal tubules, F94

## I

Idazoxan, dietary calcium and blood pressure, $\alpha_1$-adrenergic receptors, F234
IGF-I: *see* Insulin-like growth factor I
Immunocytochemistry
high-affinity thiazide diuretic receptor, renal cortex, F141
ischemia-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
Immunoglobulin G, complexes, effect of morphine, uptake by mesangial cells and macrophages, F859
Immunogold, ischemia-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
Immunohistochemistry
localization of angiotensin II $AT_1$ receptor, F989
mapping of cellular and subcellular distribution, 5-$HT_{1A}$ receptors, kidney, F9
Inositol, osmotic adaptation, transition from chronic diuresis to antidiuresis, renal medullary cells, F722
*myo*-Inositol
determinants of relative amounts, medullary organic osmolytes, F472
-$Na^+$ cotransporter, gene transcription in MDCK cells, hypertonicity, F20
Inositol phosphate, thromboxane binding, signal transduction, glomerular mesangial cells, F292
Insulin
angiotensin II-induced mitogenesis, modulation by endothelin, human mesangial cells, F937
streptozotocin-induced renal changes, isogenic Lewis rats, transplantation, F100
Insulin-like growth factor I
enhanced expression, partial kidney infarction, F963
renal function effects, chronic renal failure, F917

Integrins
immune-mediated glomerulonephritis, attenuation, anti-CD11b monoclonal antibody, F715
receptors in renal tubular epithelium, pathophysiology, acute renal failure, F1
redistribution and dysfunction, renal epithelial cells, oxidative stress (monkey), F149
Intercalated cells
distribution and regulation, renal ecto-5′-nucleotidase, adenosine functions, F377
induction of changes in pups, acid- and alkali-loaded mothers, F415
kidney band 3 $Cl^-/HCO_3^-$ messenger RNA, transcription from an alternative promoter, F540
Interleukin-1$\beta$, mRNA expression, erythrocyte-perfused kidney, F774
Interstitium, renal cortex, anemia and effects on morphology, F608
Intestine, calcitriol receptor concentration, mechanism, renal failure, F662
Ions
transport
high-affinity thiazide receptor, immunocytochemical characterization in renal cortex, F141
nucleotide receptors, renal epithelial cells, F867
Ion channels, calcium transport, stimulation by calcitonin, distal convoluted tubule cells, F744
Ischemia
autoxidation of cysteine, hydrogen peroxide generation, attenuation by pyruvate, F306
-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
increased soluble epidermal growth factor, decreased membrane-associated precursors, F523

**J**

Juxtamedullary vessels, preglomerular, autoregulation, intravascular pressure, F315

**K**

Kallikrein, downregulation, upreglation of renin-angiotensin system, obstructive nephropathy, F874
$\alpha$-Keto acids, autooxidation of cysteine, hydrogen peroxide generation, attenuation by pyruvate, F306
Kidney
acute endothelial-derived relaxing factor, blockade, no mediation by angiotensin II, F74
aged, decreased $G_s$ protein expression, impaired adenylate cyclase activation, F770
aldosterone receptors, genetically hypertensive rats, F286
band 3 $Cl^-/HCO_3^-$ messenger RNA, transcription from an alternative promoter, F540
blood flow: *see* Blood flow
brush-border membrane: *see* Brush-border membrane
cGMP generation, binding properties and stimulation, urodilatin, F267
collecting duct, potassium adaptation in hypothyroidism, transport ATPase, F31
control of preglomerular resistance, locally produced EDRF, ultrafiltration coefficient, F212
development, three splicing variants, fibroblast growth factor receptor-1, F66
distribution along nephron, mineralocorticoid and glucocorticoid receptor mRNA, F781
ecto-5′-nucleotidase, distribution and regulation, adenosine, F377
epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
epithelial cells
induction of DNA synthesis, urea, F601
induction of *Egr-1* and c-*fos* expression, urea, F593
inhibition of phosphate transport, TGF-$\beta$ (human, opossum), F623
regulation of membrane ion transport, nucleotide receptors, F867
failure
function effects, insulin-like growth factor I, F917
integrin redistribution and dysfunction, oxidative stress (monkey), F149
mechanism, decreased intestinal calcitriol receptor concentration, F662
soluble epidermal growth factor, membrane-associated precursors, F523
tubular epithelium, integrin receptors, F1
$Na^+$-$K^+$-ATPase, upregulation of activity and mRNA, high-salt diet, F448
$Na^+$-phosphate cotransport, autocrine/paracrine regulation, dopamine, F618
partial infarction, enhanced renal IGF-I expression, F963
preglomerular juxtamedullary vessels, autoregulation, intravascular pressure, F315
prevention of decrease in diuresis and natriuresis, exogenous cGMP, inhibition of NO synthesis, F344
reduced mass, genetic animal model, OS/+ mouse, F53
renin, angiotensinogen and ANG I-converting enzyme gene expression, influence of dietary protein, F981
scavenging of hydrogen peroxide by captopril, reduction, oxidant-induced cell injury, F120
stimulation of $Na^+$-$P_i$ cotransport, calcitriol (opossum), F404
stimulation of $P_i$ transport, hyposmotic media (opossum), F585
streptozotocin-induced changes, isogenic Lewis rats, transplantation, F100
Kidney cortex
anemia and effects on morphology, F608
cloning of $AT_1$ angiotensin II receptor, presence in proximal tubule epithelium, F645
collecting duct
apical $V_1$ receptor, F467
bicarbonate transport, alkalosis, F435
effects of calcitonin, function of intercalated cells, F221
effects of endothelin-1, water and chloride transport, F690
endothelin-1 and endothelin-3, binding to nephrons, F827
inhibition of $Na^+$ transport, EGF and $PGE_2$, F670
mineralocorticoid and glucocorticoid receptor mRNA, F781
vasopressin and density, apical low-conductance $K^+$ channels, F502
collecting tubule
feedback regulation, Na channels, F557, F565
functional identification, H-K-ATPase, F259
short-term effect of aldosterone, vasopressin-sensitive adenylate cyclase, F821
immunocytochemistry, high-affinity thiazide diuretic receptor, F141
vascular smooth muscle cells, characterization, neural endopeptidase, F45
Kidney epithelium, calcium transport, F181
Kidney glomeruli
control of preglomerular resistance, locally produced EDRF, ultrafiltration coefficient, F212
effect of morphine, uptake of IgG complexes, mesangial cells and macrophages, F859
endothelin-1 and endothelin-3, binding to nephrons, F827
endothelin-induced renal arteriolar constriction, cyclooxygenase, F637
expression of TIMP-1 mRNA, TIMP-2 protein and mRNA, F923
immunohistochemical localization, angiotensin II $AT_1$ receptor, F989
mesangial cells
thromboxane binding, signal transduction, F292
volume and agonist-induced regulation, myosin light-chain phosphorylation, F421
response to volume and angiotensin II, role of mesangial cell, F158
size selectivity, protein overload, F1046
$\alpha_1$-VIII collagen expression, resident glomerular cells, F1003
Kidney medulla
collecting duct
basolateral membrane $Ca^{2+}/H^+$ exchange, F88
transport defect, obstructive nephropathy, F808
collecting duct cells, acidification adaptation, F765
collecting tubule, short-term effect of aldosterone, vasopressin-sensitive adenylate cyclase, F821
inner collecting duct, hyperosmolality, production and mRNA expression of ET-1, F684
organic osmolytes, determinants of relative amounts, F472
osmotic adaptation, transition, chronic diuresis to antidiuresis, F722
outer, sex differences in control of circulation, role of prostaglandins, F629
thick ascending limb cells, cAMP-dependent control of $Na^+/H^+$ antiport, AVP/PTH/$PGE_2$, F354
thin limb segments, perfusion, urea and NaCl permeabilities (chinchilla), F337

Kidney tubules
arginine synthesis in nephrons, significance of, F1038
basement membrane, oncotic effects, F328
distal
effects of formate and oxalate, chloride absorption, F730
novel K-channel gene expression, F128
distal convoluted, calcium transport, stimulation by calcitonin, F744
G protein-linked inhibition, $Na^+/H^+$ exchange, $D_1$ dopamine agonists in renal brush border, F1032
high-affinity thiazide receptor, immunocytochemical characterization, renal cortex, F141
$Na^+$-phosphate cotransport, autocrine/paracrine regulation, dopamine, F618
proximal
anemia and effects on morphology, renal cortex, F608
angiotensin II, F891
cloning of kidney cortex $AT_1$ angiotensin II receptor, F645
dopamine $D_{1A}$ gene expression, F280
ecto-5′-nucleotidase distribution, adenosine functions, F377
glycine protection, hypoxic injury, F94
ischemia-enhanced aminoglycoside binding, F907
kinetics of endocytosis, ruthenium red as membrane marker, F239
metabolic cost, bafilomycin-sensitive $H^+$ pump, F655
mineralocorticoid and glucocorticoid receptor mRNA, F781
Na-dependent $Cl/HCO_3$ exchange, basolateral Cl transport, F251
nephron specificity, dopamine receptor-adenylate cyclase defect in hypertension, F274
regulation of basolateral K channels, continuous microperfusion, F496
renal brush-border membrane vesicles, betaine transport, F948
substrate activation, mechanosensitive whole cell currents (frog), F697
proximal convoluted
evidence against proton pump, F175
$Na^+$ pump inhibition, ATP-sensitive $K^+$ channel, F760
Kinins, upregulation of renin-angiotensin system, downregulation of kallikrein, obstructive nephropathy, F874

L

Leukotrienes, anti-CD11b monoclonal antibody, attenuation, immune-mediated glomerulonephritis, F715
Lipopolysaccharide, -induced MCP-1, IL-1$\beta$ and TNF-$\alpha$ mRNA, erythrocyte-perfused kidney, F774
Liver, gene expression, transcriptional augmentation, Heymann nephritis, F441
$LLC\text{-}PK_1$ cells
autooxidation of cysteine, generation of hydrogen peroxide, attenuation by pyruvate, F306
induction of DNA synthesis by urea, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
vasopressin-sensitive, enhanced second messenger accumulation, hypertonic sucrose treatment, F228
Losartan
acute endothelial-derived relaxing factor blockade, no mediation by angiotensin II, renal effects, F74
pressure-induced natriuresis, attenuation, inhibition of nitric oxide synthesis, F79
renal renin and angiotensinogen, ANG I-converting-enzyme gene expression, F981

M

Macrophages
anti-CD11b monoclonal antibody, attenuation, immune-mediated glomerulonephritis, F715
cholesterol and gene expression, TGF-$\beta$1 and fibronectin, nephrosis, F577
uptake of IgG complexes, effect of morphine, F859
Madin-Darby cells
acute and early effects of aldosterone, Na-K-ATPase, F1021
induction of DNA synthesis by urea, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
Mannitol, atrial natriuretic peptide and, urinary sodium excretion, chronic caval dogs, F206
Matrix, fibronectin metabolism, effects of collagens, mesangial cells, F106
MCP-1, LPS-induced, mRNA expression, erythrocyte-perfused kidney, F774
MDCK cells
inhibition of Na-K-ATPase activity, ouabain binding, prostaglandin $E_2$, F61
$Na^+$-*myo*-inositol cotransporter, transcription of gene, hypertonicity, F20
Membrane
basolateral
$Ca^{2+}/H^+$ exchange, outer medullary collecting duct, F88
chloride transport, proximal tubules, F251
brush-border: *see* Brush-border membrane
renal tubular basement, oncotic effects, F328
transport and ruthenium red, kinetics of endocytosis, renal proximal tubule, F239
Mesangial cells
angiotensin II-induced mitogenesis, modulation by endothelin, F937
bradykinin receptors, F548
distribution and regulation, renal ecto-5′-nucleotidase, adenosine functions, F377
fibronectin metabolism, effects of collagens, F106
glomerular
thromboxane binding, signal transduction, F292
volume and agonist-induced regulation, myosin light-chain phosphorylation, F421
production of endothelin, induction by arginine vasopressin, inhibition by natriuretic peptides, F678
role in glomerular response, volume and angiotensin II, F158
stimulation of proliferation by TGF-$\beta$, role of PDGF $\beta$-receptor expression, F199
two-chain urokinase and its receptor, type 1 inhibitor, F532
uptake of IgG complexes, effect of morphine, F859
$\alpha_1$-VIII collagen expression, resident glomerular cells, F1003
$\beta,\gamma$-Methylene-adenosine 5′-triphosphate, modulation of tubuloglomerular feedback responsiveness, extracellular ATP, F458
Metoprolol, dietary calcium and blood pressure, $\alpha_1$-adrenergic receptors, F234
Microcirculation: *see also* Blood flow; Circulation
autoregulation of intravascular pressure, preglomerular juxtamedullary vessels, F315
Microperfusion
apical $V_1$ receptor, cortical collecting duct, F467
effects of calcitonin, function of intercalated cells, cortical collecting duct, F221
water and chloride transport, effects of endothelin-1, cortical collecting ducts, F690
Micropuncture
enhanced $HCO_3$ secretion, distal tubule, NaCl-induced correction of chronic alkalosis, F899
homeostatic efficiency, tubuloglomerular feedback, F930
proximal tubular secretion, angiotensin II, F891
tubuloglomerular feedback responsiveness, extracellular ATP, F458
Microscopy, electron, endocytosis, renal proximal tubule, ruthenium red as membrane marker, F239
Mineralization, inhibition of bone nodule formation and calcification, aluminum, F882
Mineralocorticoids, receptor mRNA distribution along nephron, F781
Mitogenesis, angiotensin II-induced, modulation by endothelin, human mesangial cells, F937
Models
mathematical
ammonium and bicarbonate transport, long-loop thin descending limb, F397
autoregulation and renal blood flow differences, SHR and WKY rats, F166
Os/+ mouse, genetic animal model, reduced renal mass, F53
quadratic prediction, protein and albumin concentrations, oncotic pressure in nephrotic plasma, F1052
Monoclonal antibodies, anti-CD11b, attenuation, immune-mediated glomerulonephritis, F715
$N^G$-Monomethyl-L-arginine, role of renal interstitial hydrostatic pressure, natriuresis, systemic nitric oxide inhibition, F411
Morphine, uptake of IgG complexes, mesangial cells, macrophages, F859

Muscle, smooth
immunohistochemical localization, angiotensin II $AT_1$ receptor, F989
vascular
characterization of neural endopeptidase, renal cortex, F45
interaction, phorbol ester and dopamine $DA_1$ receptors, F24
vasopressin-induced contraction, inhibition by parathyroid hormone, F453
Myosin, light-chain phosphorylation, volume and agonist-induced regulation, glomerular mesangial cells, F421

N

Naloxone, effect of morphine, uptake of IgG complexes, mesangial cells and macrophages, F859
Natriuresis
acute endothelial-derived relaxing factor blockade, no mediation by angiotensin II, renal effects, F74
pressure-induced, attenuation, inhibition of nitric oxide synthesis, F79
prevention of decrease by exogenous cGMP, inhibition of NO synthesis, F344
sodium intake in normal men, atrial natriuretic peptide kinetics, F480
systemic nitric oxide inhibition, role, renal interstitial hydrostatic pressure, F411
Natriuretic peptides
C-type, receptors and signaling, rectal gland (shark), F300
inhibition of mesangial cell production, endothelin, arginine vasopressin, F678
Necrosis, acute tubular, integrin receptors, renal tubular epithelium, F1
Nephritis
Heymann
gp330/44-kDa complex, synthesis in endoplasmic reticulum, F1011
transcriptional augmentation, hepatic gene expression, F441
Nephrogenesis, regulation of, metanephric transforming growth factor-$\beta$1, F996
Nephrolithiasis, regulation of renal epithelial cell endocytosis, calcium oxalate monohydrate crystals (monkey), F800
Nephron
arginine synthesis, localization, functional significance, F1038
binding of endothelin-1 and endothelin-2, F827
distribution, mineralocorticoid and glucocorticoid receptor mRNA, F781
single, blood flow, mechanisms of temporal variation, F427
specificity, dopamine receptor-adenylyl cyclase defect, spontaneous hypertension, F274
Nephropathy
glomerular size selectivity, protein overload, F1046
obstructive
transport defects, inner medullary collecting duct cells, F808
upregulation of renin-angiotensin system, downregulation of kallikrein, F874
Nephrosis, gene expression of TGF-$\beta$1 and fibronectin, cholesterol and macrophages, F577
Nephrotoxicity, streptozotocin-induced renal changes, isogenic Lewis rats, transplantation, F100
Neural endopeptidase, characterization, vascular smooth muscle cells, renal cortex, F45
Neutrophils, anti-CD11b monoclonal antibody, attenuation, immune-mediated glomerulonephritis, F715
Nitric oxide
inhibition, natriuresis, role of renal interstitial hydrostatic pressure, F411
inhibition of synthesis
attenuation, pressure-induced natriuretic responses, F79
exogenous cGMP, prevention of decrease in diuresis and natriuresis, F344
Nitro-L-arginine, pressure-induced natriuresis, attenuation, inhibition of nitric oxide synthesis, F79
Nitrous oxide, endothelium-derived, pressure-dependent renin release, F943
Nuclear magnetic resonance, $^{31}P$, acute and chronic hyponatremia, brain buffering, F968
5′-Nucleotidase, anemia and effects on morphology, renal cortex, F608

O

OK cells, transport of organic anion, F975
OKP cells, stimulation of $Na^+/H^+$ antiporter, glucocorticoids, F1027
Oligosyndactylism, reduced renal mass, genetic animal model, OS/+ mouse, F53
Organogenesis, metanephric transforming growth factor-$\beta$1, regulation of nephrogenesis, F996
Ornithine, arginine synthesis in nephrons, localization, functional significance, F1038
Osmolytes
gene transcription in MDCK cells, $Na^+$-*myo*-inositol cotransporter, hypertonicity, F20
medullary organic, determinants of relative amounts, effects of NaCl and urea, F472
organic, acute hyponatremia, F833
Osmoregulation
induction of DNA synthesis by urea, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
metabolic clearance in pregnancy, vasopressin and an analogue resistant to vasopressinase, F348
Osmosis, adaptation of renal medullary cells, transition, chronic diuresis to antidiuresis, F722
Osteoblasts, bone nodule formation and calcification, inhibition by aluminum, F882
Ouabain
feedback regulation of Na channels, cortical collecting tubule, F557
inhibition of Na-K-ATPase activity and binding, prostaglandin $E_2$, MDCK cells, F61
Oxalate, formate and, chloride absorption, distal tubule, F730
Oxidative stress, integrin redistribution and dysfunction, renal epithelial cells (monkey), F149
Oxygen, consumption, metabolic cost of bafilomycin-sensitive $H^+$ pump, proximal tubules, F655
Oxytocin, apical $V_1$ receptor, cortical collecting duct, F467

P

Parathyroid hormone
calcium transport
renal epithelial cells, F181
stimulation by calcitonin, distal convoluted tubule cells, F744
cAMP-dependent control of $Na^+/H^+$ antiport, medullary thick ascending limb cells, F354
decreased $G_s$ protein expression, impaired adenylate cyclase activation, F770
inhibition, vasopressin-induced vascular smooth muscle contraction, F453
stimulation of $Na^+$-$P_i$ cotransport, calcitriol, opossum kidney cells, F404
Patch clamp
calcium transport, renal epithelial cells, F181
feedback regulation of Na channels, cortical collecting tubule, F557, F565
regulation of high-conductance anion channels, G proteins and 5-$HT_{1A}$ receptors, CHO cells, F490
Peptide hormones, angiotensin II, proximal tubular secretion, F891
Perfusion, brain buffering, acute and chronic hyponatremia, F968
Permeability
ammonium and bicarbonate transport, ascending limbs of loop of Henle (chinchilla), F837
urea and NaCl, perfusion, thin limb segments (chinchilla), F337
water, oncotic effects, renal tubular basement membrane, F328
water and chloride transport, effects of endothelin-1, cortical collecting ducts, F690
Permselectivity, glomerular size selectivity, protein overload, F1046
Pertussis toxin, regulation of high-conductance anion channels, G proteins and 5-$HT_{1A}$ receptors, CHO cells, F490
$PGE_2$: *see* Prostaglandin $E_2$
pH
basolateral $K^+/Cl^-/HCO_3^-$ conductances, cell volume regulation, proximal convoluted tubule, F365
cAMP-dependent control by AVP, $Na^+/H^+$ antiport, medullary thick ascending limb cells, F354
feedback regulation of Na channels, cortical collecting tubule, F557, F565
functional identification of H-K-ATPase, intercalated cells, cortical collecting tubule, F259
regulation of basolateral K channels, proximal tubules, continuous microperfusion, F496
Phagocytosis, effect of morphine, uptake of IgG complexes, mesangial cells and macrophages, F859
Phentolamine, dietary calcium and blood pressure, $\alpha_1$-adrenergic receptors, F234

Phorbol ester, dopamine $DA_1$ receptors and, interaction, vascular smooth muscle, F24
Phosphate
inhibition of transport by TGF-$\beta$, renal epithelial cells (human, opossum), F623
renal $Na^+$-phosphate cotransport, autocrine/paracrine regulation, dopamine, F618
stimulation of transport, hyposmotic media, opossum kidney cells, F585
Phosphatidic acid, endothelin activation, phospholipase D, dual modulation, F845
Phosphatidylcholine, endothelin activation, phospholipase D, dual modulation, F845
Phosphatidylethanol, endothelin activation, phospholipase D, dual modulation, F845
Phosphatidylinositol, ischemia-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
Phospholipase $A_2$, -induced injury, no protection with glycine, proximal tubules, F94
Phospholipase C
actions of angiotensin II, antagonism by dopamine, renal brush-border membrane, F737
thromboxane binding, signal transduction, glomerular mesangial cells, F292
two-chain urokinase and its receptor, type 1 inhibitor, mesangial cells, F532
Phospholipase D, endothelin activation, dual modulation, protein kinase C and $Ca^{2+}$, F845
Phospholipids
hypoxic injury, glycine protection, proximal tubules, F94
ischemia-enhanced aminoglycoside binding, uptake by proximal tubule cells, F907
Phosphorus, restriction, renal response to oral and intravenous protein loads, F752
Plasma
nephrotic, protein and albumin concentrations, oncotic pressure, F1052
prolactin, sweat rate and composition, exercise in men, F816
renal flow, effects of IGF-I on renal function, chronic renal failure, F917
Plasminogen activator, two-chain urokinase and its receptor, type 1 inhibitor, mesangial cells, F532
Platelet-derived growth factor, $\beta$-receptor expression, stimulation of mesangial cell proliferation, TGF-$\beta$, F199
Polymerase chain reaction
cloning of $AT_1$ angiotensin II receptor, presence in proximal tubule epithelium, F645
distribution along nephron, mineralocorticoid and glucocorticoid receptor mRNA, F781
hyperosmolality, production and mRNA expression of ET-1, inner medullary collecting duct, F684
novel K-channel gene expression, distal tubule, kidney, F128
three splicing variants, fibroblast growth factor receptor-1, kidney development, F66
Potassium
adaptation in hypothyroidism, changes, transport adenosine triphosphatases, F31
bicarbonate transport, cortical collecting duct, alkalosis, F435
infusion, correction of thick ascending limb Cl reabsorption, aldosterone-independent mechanism, F792
Potassium-bicarbonate cotransport, $Na^+$-$H^+$ antiport, cAMP-dependent control by AVP, medullary thick ascending limb cells, F354
Potassium channels
apical low-conductance, vasopressin and density, cortical collecting duct, F502
ATP-sensitive, $Na^+$ pump inhibition, proximal convoluted tubule, F760
basolateral, regulation in proximal tubule, continuous microperfusion (rabbit), F496
novel gene expression, distal tubule, kidney, F128
substrate activation, mechanosensitive whole cell currents, renal proximal tubule (frog), F697
Potassium chloride, angiotensin responses and, diltiazem, renal arterioles, F134
Potassium ions, basolateral conductance, cell volume regulation, proximal convoluted tubule, F365
Potentials, membrane
basolateral $K^+/Cl^-/HCO_3^-$ conductances, cell volume regulation, proximal convoluted tubule, F365
evidence against proton pump, proximal convoluted tubule, F175
regulation of basolateral K channels, proximal tubules, continuous microperfusion, F496
Prazosin, dietary calcium and blood pressure, $\alpha_1$-adrenergic receptors, F234
Pregnancy: *see also* Fetus
metabolic clearance, vasopressin and an analogue resistant to vasopressinase, F348
Pressure: *see also* Blood pressure
-dependent renin release, endothelium-derived NO, F943
-induced natriuretic responses, attenuation, inhibition of nitric oxide synthesis, F79
interstitial hydrostatic, natriuresis, systemic nitric oxide inhibition, F411
intravascular, autoregulation, preglomerular juxtamedullary vessels, F315
oncotic, protein and albumin concentrations, nephrotic plasma, F1052
Prolactin, plasma, sweat rate and composition, exercise in men, F816
Proline, betaine transport, renal brush-border membrane vesicles, F948
Prostaglandins
endothelin-induced renal arteriolar constriction, cyclooxygenase, F637
sex differences, control of renal outer medullary circulation, F629
vasopressin-induced contraction, inhibition by parathyroid hormone, F453
Prostaglandin $E_2$
cAMP-dependent control of $Na^+/H^+$ antiport, medullary thick ascending limb cells, F354
epidermal growth factor and, inhibition of $Na^+$ transport, cortical collecting duct, F670
inhibition of Na-K-ATPase activity, ouabain binding, MDCK cells, F61
Proteins
albumin concentrations and, oncotic pressure, nephrotic plasma, F1052
dietary, renal renin, angiotensinogen and ANG I-converting enyzme gene expression, F981
oral and intravenous, renal response, effect of phosphorus restriction, F752
overload, glomerular size selectivity, F1046
synthesis, acidification adaptation, inner medullary collecting duct cells, F765
Protein kinase A, vasopressin and density, apical low-conductance $K^+$ channels, cortical collecting duct, F502
Protein kinase C
$Ca^{2+}$ and, endothelin activation, phospholipase D, F845
G protein-linked inhibition of $Na^+/H^+$ exchange, $D_1$ dopamine agonists, renal brush border, F1032
inhibition, arginine vasopressin-stimulated cAMP accumulation, $G_i$-dependent mechanism, F216
phorbol ester and dopamine $DA_1$ receptors, interaction, vascular smooth muscle, F24
thromboxane binding, signal transduction, glomerular mesangial cells, F292
Proton, enhanced $HCO_3$ secretion, distal tubule, NaCl-induced correction of chronic alkalosis, F899
Proton pump
acid- and alkali-loaded mothers, induction, intercalated cell changes in pups, F415
bafilomycin-sensitive, metabolic cost, proximal tubules, F655
evidence against, proximal convoluted tubule, F175
PTH: *see* Parathyroid hormone
Puromycin aminonucleoside, TGF-$\beta$1 and fibronectin messenger RNA levels, nephrosis, F577
Pyruvate, attenuation, autooxidation of cysteine, hydrogen peroxide generation, F306

## Q

Quinapril, control of renal outer medullary circulation, sex differences, role of prostaglandins, F629

## R

Radioimmunoassay
angiotensin II, proximal tubular secretion, F891
proximal tubular secretion, angiotensin II, F891
Receptors
$\alpha_1$-adrenergic, modulation of blood pressure, dietary calcium, F234
angiotensin I, influence of dietary protein, F981
angiotensin II
antagonism by dopamine, renal brush-border membrane, F737

Receptors (*continued*)
slow component of autoregulation, renal blood flow, F515
angiotensin II $AT_1$
cloning of, presence in proximal tubule epithelium, F645
immunohistochemical localization, F989
apical $V_1$, cortical collecting duct, F467
bradykinin, existence on mesangial cells, F548
dopamine, adenylate cyclase defect and nephron specificity, spontaneous hypertension, F274
dopamine $D_1$, inhibition of $Na^+/H^+$ exchange, renal brush border, F1032
dopamine $D_{1A}$, gene expression, renal proximal tubule, F280
dopamine $DA_1$, phorbol ester interaction, vascular smooth muscle, F24
fibroblast growth factor-1, three splicing variants, kidney development, F66
high-affinity thiazide diuretic, immunocytochemistry, renal cortex, F141
5-$HT_{1A}$
immunohistochemical mapping and distribution, kidney, F9
regulation of high-conductance anion channels, CHO cells, F490
integrin, renal tubular epithelium, pathophysiology of acute renal failure, F1
mineralocorticoid and glucocorticoid, mRNA distribution along nephron, F781
natriuretic peptide C-type, signaling, rectal gland (shark), F300
nucleotide, regulation of membrane ion transport, renal epithelial cells, F867
purinergic, tubuloglomerular feedback responsiveness, extracellular ATP, F458
renal aldosterone, genetically hypertensive rats, F286
thromboxane, binding and signal transduction, glomerular mesangial cells, F292
urodilatin, binding properties, cGMP generation in kidney cells, F267
urokinase, mesangial cells, F532
Rectal gland, C-type natriuretic peptide receptors, signaling, shark, F300
Recycling, kinetics of endocytosis, renal proximal tubule, ruthenium red as membrane marker, F239
Renin
angiotensin system, two-kidney/one-clip hypertensive rats, F510
pressure-dependent release, endothelium-derived NO, F943
renal, angiotensinogen and ANG I-converting enzyme gene expression, influence of dietary protein, F981
sweat rate and composition, plasma prolactin, exercise in men, F816
Renin-angiotensin system
angiotensin II, proximal tubular secretion, F891
cloning of kidney cortex $AT_1$ angiotensin II receptor, presence in proximal tubule epithelium, F645
immunohistochemical localization, angiotensin II $AT_1$ receptor, F989
upregulation, downregulation of kallikrein, obstructive nephropathy, F874
Resistance, vascular, cytokine mRNA expression, erythrocyte-perfused kidney, F774
Ribonuclease, novel K-channel gene expression, distal tubule, kidney, F128
Ribonucleic acid, three splicing variants, fibroblast growth factor receptor-1, kidney development, F66
Ribonucleic acid, messenger
decreased $G_s$ protein expression, impaired adenylate cyclase activation, F770
ET-1, hyperosmolality, inner medullary collecting duct, F684
gene transcription in MDCK cells, $Na^+$-*myo*-inositol cotransporter, hypertonicity, F20
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
mineralocorticoid and glucocorticoid receptors, distribution along nephron, F781
TIMP-1 and TIMP-2 protein, glomeruli, F923
transcriptional augmentation, hepatic gene expression, Heymann nephritis, F441
upregulation of activity by high-salt diet, renal $Na^+$-$K^+$-ATPase, F448
RU 38486, collecting tubule, short-term effect of aldosterone, vasopressin-sensitive adenylate cyclase, F821
Ruthenium red, membrane marker, kinetics of endocytosis, renal proximal tubule, F238

## S

Salt, diet, upregulation of activity and mRNA, renal $Na^+$-$K^+$-ATPase, F448
Scatchard analysis, endothelin-1 and endothelin-3, binding to nephrons, F827
Serotonin, 5-$HT_{1A}$ receptor distribution, immunohistochemical mapping, kidney, F9
Sex differences, control of renal outer medullary circulation, role of prostaglandins, F629
Shark, C-type natriuretic peptide receptors, signaling, rectal gland, F300
Shock, basolateral $K^+/Cl^-/HCO_3^-$ conductances, cell volume regulation, proximal convoluted tubule, F365
Signal transduction
C-type natriuretic peptide receptors, rectal gland (shark), F300
inhibition of phosphate transport, TGF-$\beta$, renal epithelial cells (human, opossum), F623
thromboxane binding, glomerular mesangial cells, F292
vasopressin-induced contraction, inhibition by parathyroid hormone, F453
Sodium
activity of 11$\beta$-hydroxysteroid activity, effects of 11-dehydrocorticosterone (toad), F854
-dependent $Cl/HCO_3$ exchange, basolateral Cl transport, proximal tubules, F251
high-affinity thiazide receptor, immunocytochemistry, renal cortex, F141
intake in normal men, atrial natriuretic peptide kinetics, F480
-*myo*-inositol cotransporter, transcription of gene in MDCK cells, hypertonicity, F20
urinary excretion, mannitol and ANP combined infusions, chronic caval dogs, F206
Sodium-adenosine triphosphatase, transport defects, inner medullary collecting duct cells, obstructive nephropathy, F808
Sodium channels
feedback regulation, cortical collecting tubule, F557, F565
transport defects, inner medullary collecting duct cells, obstructive nephropathy, F808
Sodium chloride
depletion, glomerular response to volume and angiotensin II, role of mesangial cell, F158
determinants of relative amounts, medullary organic osmolytes, F472
-induced correction of chronic alkalosis, enhanced $HCO_3$ secretion, distal tubule, F899
induction of DNA synthesis by urea, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, urea, renal epithelial cells, F593
Na-dependent $Cl/HCO_3$ exchange, basolateral Cl transport, proximal tubules, F251
permeability, perfusion, thin limb segments (chinchilla), F337
Sodium-hydrogen antiport
cAMP-dependent control, AVP/PTH/$PGE_2$, medullary thick ascending limb cells, F354
stimulation by glucocorticoids, OKP cells, F1027
Sodium-hydrogen exchange
actions of angiotensin II, antagonism by dopamine, renal brush-border membrane, F737
effects of formate and oxalate, chloride absorption, distal tubule, F730
evidence against proton pump, proximal convoluted tubule, F175
functional identification of H-K-ATPase, intercalated cells, cortical collecting tubule, F259
G protein-linked inhibition, $D_1$ dopamine agonists, renal brush border, F1032
Sodium-hydrogen exchanger
basolateral membrane $Ca^{2+}/H^+$ exchange, outer medullary collecting duct, F88
metabolic cost of bafilomycin-sensitive $H^+$ pump, proximal tubules, F655
stimulation in OKP cells, glucocorticoids, F1027
Sodium-inorganic phosphate transport, stimulation by calcitriol, genomic mechanism, subclone of opossum kidney cells, F404
Sodium ions
ammonium and bicarbonate transport, long-loop thin descending limb, F397

inhibition of transport by EGF and $PGE_2$, cortical collecting duct, F670
regulation of basolateral K channels, proximal tubules, continuous microperfusion, F496
role of renal interstitial hydrostatic pressure, natriuresis, systemic nitric oxide inhibition, F411
transport, effects of calcitonin, cortical collecting duct, F221
Sodium-phosphate cotransport, autocrine/paracrine regulation by dopamine, F618
Sodium-potassium-ATPase
acute and early effects of aldosterone, Madin-Darby cells, F1021
inhibition of activity and ouabain binding, prostaglandin $E_2$, MDCK cells, F61
metabolic cost of bafilomycin-sensitive $H^+$ pump, proximal tubules, F655
renal, upregulation of activity and mRNA, high-salt diet, F448
Sodium-potassium pump, potassium adaptation in hypothyroidism, changes, transport adenosine triphosphatases, F31
Sodium pump
inhibition, downregulation of ATP-sensitive $K^+$ channel, proximal convoluted tubule, F760
inhibition of Na-K-ATPase activity and ouabain binding, prostaglandin $E_2$, MDCK cells, F61
Sorbitol
determinants of relative amounts, medullary organic osmolytes, F472
osmotic adaptation, transition from chronic diuresis to antidiuresis, renal medullary cells, F722
Spironolactone, collecting tubule, short-term effect of aldosterone, vasopressin-sensitive adenylate cyclase, F821
Streptozotocin, -induced renal hemodynamic changes, isogenic Lewis rats, transplantation, F100
Stress
hyperosmotic
induction of DNA synthesis by urea, renal epithelial cells, F601
myosin light-chain phosphorylation, mesangial cells, F421
Stretch, substrate activation, mechanosensitive whole cell currents, renal proximal tubule (frog), F697
Substrate, activation of mechanosensitive whole cell currents, renal proximal tubule (frog), F697
Sucrose
density gradient analysis, intestinal calcitriol receptor concentration, renal failure, F662
hypertonic, enhanced second messenger accumulation, vasopressin-sensitive cells, F228
Sweat, rate and composition, plasma prolactin, exercise in men, F816


T


Taurine, determinants of relative amounts, medullary organic osmolytes, F472
TGF: *see* Transforming growth factor
Thermoregulation, sweat rate and sweat composition, plasma prolactin, exercise in men, F816
Thiazide
effects of formate and oxalate, chloride absorption, distal tubule, F730
high-affinity receptor, immunocytochemistry, renal cortex, F141
Thiols, autooxidation of cysteine, hydrogen peroxide generation, attenuation by pyruvate, F306
Thrombin, two-chain urokinase and its receptor, type 1 inhibitor, mesangial cells, F532
Thromboxane
anti-CD11b monoclonal antibody, attenuation, immune-mediated glomerulonephritis, F715
binding and signal transduction, glomerular mesangial cells, F292
endothelin-induced renal arteriolar constriction, cyclooxygenase, F637
Thymidine, angiotensin II-induced mitogenesis, modulation by endothelin, human mesangial cells, F937
Thyroidectomy, potassium adaptation in hypothyroidism, changes, transport adenosine triphosphatases, F31
TNF: *see* Tumor necrosis factor
Transforming growth factor-$\beta$
inhibition of phosphate transport, renal epithelial cells (human, opossum), F623
stimulation of mesangial cell proliferation, role of PDGF $\beta$-receptor expression, F199
Transforming growth factor-$\beta$1
gene expression during nephrosis, cholesterol and macrophages, fibronectin, F577
metanephric, regulation of nephrogenesis, F996
Transplantation, streptozotocin-induced renal changes, isogenic Lewis rats, F100
Trifluoromethane, acute and chronic hyponatremia, brain buffering, F968
Tumor necrosis factor-$\alpha$, mRNA expression, erythrocyte-perfused kidney, F774


U


Ultrafiltration, glomerular response to volume and angiotensin II, role of mesangial cell, F158
Urea
ammonium and bicarbonate transport
ascending limbs of loop of Henle (chinchilla), F837
long-loop thin descending limb, F397
arginine synthesis in nephrons, localization, functional significance, F1038
determinants of relative amounts, medullary organic osmolytes, F472
induction of DNA synthesis, renal epithelial cells, F601
induction of *Egr-1* and c-*fos* expression, renal epithelial cells, F593
permeability, perfusion, thin limb segments (chinchilla), F337
Uremic toxins, decreased intestinal calcitriol receptor concentration, mechanism, renal failure, F662
Ureter
metanephric transforming growth factor-$\beta$1, regulation of nephrogenesis, F996
obstructive nephropathy, transport defects, inner medullary collecting duct cells, F808
Urinary bladder, activity of 11$\beta$-hydroxysteroid activity, effects of 11-dehydrocorticosterone (toad), F854
Urodilatin, binding properties and stimulation, cGMP generation, kidney cells, F267
Urokinase, two-chain, receptor and type 1 inhibitor, mesangial cells, F532


V


Vasculature, endothelin-induced renal arteriolar constriction, cyclooxygenase, F637
Vasoconstriction
bradykinin, presence of endothelial injury, F322
phorbol ester and dopamine $DA_1$ receptors, interaction, vascular smooth muscle, F24
potassium chloride responses and angiotensin, diltiazem, renal arterioles, F134
Vasopressin: *see also* Antidiuretic hormone
apical $V_1$ receptor, cortical collecting duct, F467
increased density, apical low-conductance $K^+$ channels, cortical collecting duct, F502
-induced vascular smooth muscle contraction, inhibition by parathyroid hormone, F453
metabolic clearance, analogue resistant to vasopressinase, pregnancy, F348
-sensitive adenylate cyclase, short-term effect of aldosterone, collecting tubule, F821
-sensitive cells, enhanced second messenger accumulation, hypertonic sucrose treatment, F228
Vasopressin, arginine
bradykinin, potential for vascular constriction, presence of endothelial injury, F322
cAMP-dependent control of $Na^+/H^+$ antiport, medullary thick ascending limb cells, F354
mesangial cell production of endothelin, inhibition by natriuretic peptides, F678
-stimulated cAMP accumulation, inhibition by protein kinase C, $G_i$-dependent mechanism, F216
Velocimetry
laser-Doppler, temporal variation, single-nephron blood flow, F427
videometric flow, homeostatic efficiency, tubuloglomerular feedback, F930
Vitamin D
calcium transport, renal epithelial cells, F181
decreased intestinal calcitriol receptor concentration, mechanism, renal failure, F662
Volume
absorption, oncotic effects, renal tubular basement membrane, F328
agonist-induced regulation, myosin light-chain phosphorylation, glomerular mesangial cells, F421

Volume (*continued*)
cerebral, organic osmolytes, acute hyponatremia, F833
expansion, homeostatic efficiency, tubuloglomerular feedback, F930
regulation in proximal convoluted tubule, basolateral $K^+/Cl^-/HCO_3^-$ conductances, F365
regulation of basolateral K channels, proximal tubules, continuous microperfusion, F496
role of mesangial cell in glomerular response, angiotensin II, F158

W

Water
ammonium and bicarbonate transport, long-loop thin descending limb, F397
chloride transport and, endothelin-1, cortical collecting ducts, F690
permeability: *see* Permeability
transport, effects of calcitonin, cortical collecting duct, F221

# Author Index to Volume 33


Adler, S., F968
Agulian, S. K., F730
Ahmed, Z., F845
Albers, F. J., F292
Albrecht, F. E., F1032
Albrecht, G. J., F722
Alexander, E. A., F765
Alexander, R. W., F989
Allon, M., F404
Alpern, R. J., F1027
Ando, Y., F467
Andreoli, S. P., F120
Aperia, A., F448
Ardaillou, R., F45
Aronson, P. S., F730, F1011
Asano, Y., F467
Awazu, M., F637

Badr, K. F., F637
Baer, J., F833
Bakris, G. L., F937
Ballermann, B. J., F66
Bankir, L., F1038
Baratto, M. T., F480
Barlet-Bas, C., F821
Barnes, J., F770
Barnett, R. L., F845
Barron, W. M., F348
Basavappa, S., F867
Bascands, J.-L., F548
Bastie, M. J., F548
Baum, M., F1027
Baumann, J. E., F943
Baylis, C., F74, F212
Béa, M.-L., F45
Beach, R. E., F9
Beck, F.-X., F722
Beck, J., F175
Beck, J. S., F365, F496, F760
Becker, C. G., F956
Benabe, J. E., F981
Benos, D. J., F808
Bernstein, K. E., F989
Berry, C. A., F251
Berti, S., F480
Biagini, A., F480
Bianchi, R., F480
Bichara, M., F354
Bidani, A., F100
Biemesderfer, D., F141, F1011
Biondi, M. L., F344
Birn, H., F239
Blantz, R. C., F158, F930
Boisvert, P., F816
Bonjour, J.-P., F623
Borensztein, P., F354
Braam, B., F891
Brem, A. S., F854
Breton, S., F365
Breyer, M. D., F88, F421
Briggs, J. P., F781
Briner, V. A., F322, F453
Briscoe, D. M., F1003
Brisson, G. R., F816
Burch, R., F548
Burke, T. J., F94
Burns, K. D., F645
Burrow, C. R., F66
Bushinsky, D. A., F882
Bussières, L., F1021

Campbell, T., F1032
Canaan-Kühl, S., F1052
Canessa, L. M., F280
Cano, A., F1027
Cardinal, J., F365
Carome, M. A., F923
Casellas, D., F315
Cassola, A. C., F502
Celsi, G., F448
Cemerikic, D., F697
Cernacek, P., F206
Chao, J., F874
Chen, Y., F31
Chen, Y.-M., F166
Cheng, L., F752
Cheval, L., F821
Chinnow, S. L., F618
Chou, C.-L., F337
Christensen, E. I., F239
Churchill, M., F100
Churchill, P., F100
Clerico, A., F480
Coffman, T. M., F292
Cohen, C., F989
Cohen, D. M., F593, F601
Cohen-Luria, R., F61
Colflesh, D., F149
Conger, J. D., F134, F637
Cosio, F. G., F106
Cowley, A. W., Jr., F956
Cuero, C., F300
Cupples, W. A., F515

Dahl, R., F907
Davison, J. M., F348
Dekan, G., F1011
Deng, A., F212
De Rouffignac, C., F221
Desir, G. V., F128, F141
Diamond, J. R., F577
Ding, G., F577
Dipp, S., F874
Disser, M., F199
Dolson, G. M., F899
Donato, L., F480
Dörge, A., F722
Doucet, A., F821
Dousa, T. P., F618
Dunbar, J., Jr., F100
Dussaule, J.-C., F45

Ebersol, S., F833
Ehmke, H., F943
Eisner, G. M., F1032
El-Dahr, S. S., F874
Ellison, D. H., F141
El Mernissi, G., F821
Emond, C., F548
Endlich, K., F629
Engels, K., F74
Ernst, S. I. B., F1052

Falk, S. A., F134, F637
Farquhar, M. G., F1011
Fejes-Tóth, G., F781
Felder, C. C., F1032
Felder, R. A., F274, F280
Feller, D., F234
Feng, L., F774
Fitz, J. G., F490, F867
Fitzgibbon, W. R., F267

Fleser, A., F655
Flessner, M. F., F388, F397, F837
Fox, J., F891
Frazer, M., F637
Friedlaender, M. M., F845
Friedman, P. A., F181, F744
Frindt, G., F259, F557, F565
Fukui, T., F678
Furuya, H., F88

Gabbai, F. B., F158
Gailit, J., F149
Galla, J. H., F435
Gee, J., F874
Geerdes, A., F907
Gengaro, P. E., F94
Gesek, F. A., F181, F744
Gibbons, N., F859
Giebisch, G., F502, F730
Gifford, J. D., F435
Girolami, J.-P., F548
Glahn, R. P., F618
Glass II, W. F., F532
Goligorsky, M. S., F1, F149
Gullans, S. R., F593, F601
Gunning, M., F300
Guo, W.-B., F1060

Haas, J. A., F411
Haberstroh, U., F199
Hackenthal, E., F943
Hama, J., F286
Hammerman, M. R., F917, F963, F996
Hanai, H., F770
Handler, J. S., F20
Hanss, B. G., F874
Harris, H. W., Jr., F808
Harris, R. C., F645
Hart, D., F845
Harton, P., F74
Hatton, D. C., F234
He, J., F37
Higaki, J., F510
Hirozane, K., F975
Holstein-Rathlou, N.-H., F166, F427
Homma, T., F421
Hoover, R. L., F421
Horaist, C., F989
Hori, R., F975
Horiba, N., F421
Horio, T., F24, F678
Horiuchi, M., F286
Hsu, C. H., F662
Hurst, A. M., F496, F760
Hus-Citharel, A., F1038
Hwang, S.-J., F808

Ichikawa, I., F421
Iervasi, G., F480
Ikeda, M., F678
Inagami, T., F645
Ishibashi, K., F251
Ishii, K., F510

Jacobson, H. R., F88
Jain, D., F845
Jo, O. D., F737
Johnson, J. P., F523
Jose, P. A., F280, F1032
Jüngling, I., F629
Juvin, P., F354

Kaissling, B., F377, F608
Kamm, D. E., F833
Kapal, V. K., F415
Karnovsky, M. J., F1003
Kashgarian, M., F808
Katori, R., F286
Kawamoto, S., F421
Kaysen, G. A., F441
Khadouri, C., F821
Khraibi, A. A., F411
Killen, P. D., F781
Kim, E.-G., F66
Kim, J., F9
Kino, H., F286
Kirchheim, H. R., F943
Kleyman, T. R., F808
Knepper, M. A., F337, F388, F397, F837
Knox, F. G., F411, F618
Kobayashi, K., F1060
Kohno, M., F24, F678
Kon, V., F421
Kondo, H., F286
Kraus, E. S., F752
Kreisberg, J. I., F532
Krieger, N. S., F882
Kudrycki, K. E., F540
Kumar, R., F228
Kurihara, N., F678
Kurokawa, K., F827
Kwon, H. M., F20, F66

Laborde, K., F1021
Lahera, V., F344
Lapointe, J.-Y., F496, F760
Laprade, R., F175, F365, F496, F655, F760
Latif, S., F854
Lauring, J., F141
Law, F., F623
Lefkowith, J. B., F715
Le Hir, M., F377, F608
Lemley, K. V., F1046
Levillain, O., F1038
Levine, D., F234
Levine, D. Z., F415
Levine, M. A., F770
Levy, M., F206
Liang, C. T., F770
Lieberthal, W., F1
Lieske, J. C., F800
Lindheimer, M. D., F348
Loghman-Adham, M., F585
Lohr, J. W., F833
Lu, S-H., F956
Luke, R. G., F435
Luo, C., F981
Lutz, W., F228

Macri, P., F365
Majid, D. S. A., F79
Mandon, B., F221
Mangel, A. W., F490, F867
Mankus, R., F765
Marsh, D. J., F37, F427
Marsy, S., F821
Martin, V., F441

Martinez-Maldonado, M., F981
Marumo, F., F684, F690
Matheson, K. L., F854
Mattson, D. L., F956
McCarron, D. A., F234
McKay, A. J., F792
Mejia, R., F388, F397
Meyer, C., F907
Middleton, J. P., F867
Mikami, H., F510
Miller, S. B., F917, F963
Mitchell, K. D., F458, F891
Mittag, T. W., F1060
Miyazaki, M., F510
Molitoris, B. A., F907
Monsma, F. J., Jr., F280
Moore, J., F923
Moore, L. C., F315
Moran, A., F61
Morel, F., F1038
Morishita, R., F510
Morris, D. J., F854
Morrisey, J., F141
Motock, G. T., F585
Mouradian, M. M., F280
Mujais, S. K., F31
Munger, K. A., F637
Murakawa, K., F24, F678
Myers, B. D., F1052

Nafz, B., F943
Nagano, M., F510
Nagata, S., F286
Nakahama, H., F472
Nakamura, F., F510
Nakanishi, T., F472
Naray-Fejes-Tóth, A., F781
Narbaitz, R., F415
Nath, K. A., F306
Navar, L. G., F79, F458, F891
Navarro, J., F344
Nemenoff, R. A., F94
Nielsen, S., F239
Nishi, A., F448
Nishiyama, H., F286
Noël, J., F655
Nonoguchi, H., F684, F690
Nord, E. P., F845

Ogata, E., F827
Ogihara, T., F510
Ohbu, K., F274
Okamura, M., F975
Okunishi, H., F510
Olsen, B. R., F1003
Olshen, R. A., F1052
Onorato, J. J., F292
Onsgard, M. J., F618
O'Shea, M. H., F917
Otuechere, G., F808

Paillard, M., F354
Palmer, L. G., F557, F565
Pan, C., F859
Parekh, N., F629
Parris, M., F404
Patel, S. R., F662
Paul, R. V., F267
Paxton, W. G., F989
Pecher, C., F548
Péronnet, F., F816
Perrella, M. A., F411
Persson, P. B., F943
Pesek-Diamond, I., F577
Peten, E. P., F923
Peterson, L. N., F792
Philips, P. R., F348
Pilo, A., F480
Pippin, J., F715
Poggioli, J., F354
Preston, A. S., F20
Purchio, A. F., F996

Rabiner, I., F149
Racusen, L., F1
Raymond, J. R., F9, F490
Re, R. N., F937
Rector, F. C., Jr., F251
Regoli, D., F548
Rimon, G., F61
Rinne, B., F608
Rizzoli, R., F623
Rogers, S. A., F963, F996
Roinel, N., F221
Roman, R. J., F956
Romero, J. C., F344
Ronco, P., F45
Rosenblum, N. D., F1003
Rouaud, S., F548
Ruilope, L. M., F344
Runge, M., F989
Ryan, G., F996

Sachs, C., F1021
Sackin, H., F697
Sadowski, J., F629
Salahudeen, A. K., F306
Salem, M. M., F31
Samsell, L., F74
Saxenhofer, H., F267
Schaudies, R. P., F523
Schnermann, J., F781
Schrier, R. W., F94, F322, F453
Schwartz, J. H., F765
Scrogin, K. E., F234
Shahedi, M., F1021
Sheikh-Hamad, D., F737
Sheills, E. A., F348
Shull, G. E., F540
Sibley, D. R., F280
Siga, E., F221
Sikorski, I., F752
Silva, P., F300
Silver, R. B., F259, F557, F565
Simon, E. E., F1
Simone, J., F149
Singhal, P. C., F859
Smart, A., F781
Solomon, R., F300
Sone, M., F722
Spector, D. A., F752
Spiess, S., F608
Sprague, S. M., F882
Spurney, R. F., F292
Stahl, R. A. K., F199
Stefanski, A., F45
Steinhausen, M., F629
Sterns, R. H., F833
Stetler-Stevenson, W. G., F923
Stokes, J. B., F670
Striker, G. E., F923
Striker, L. J., F923
Sugimura, K., F286
Sugita, M., F472
Sullivan, M. R., F808
Sun, X., F441

Tack, J. L., F548
Takahashi, K., F637
Takamitsu, Y., F472
Takano, M., F975
Takayama, A., F975
Takeda, M., F421
Takeda, T., F24, F678
Takemoto, F., F827
Takenaka, T., F286
Takeyasu, K., F280
Teitelbaum, I., F216
Tejedor, A., F655
Terada, Y., F684, F690
Thaiss, F., F199
Thomas, D., F833
Thomson, S. C., F930
Thurau, K., F722
Tisher, C. C., F9
Toback, F. G., F800
Todd-Turla, K. M., F781
Tomita, K., F684, F690
Troyer, D. A., F532
Tsai, P., F322
Tucker, B. J., F158
Tyce, G. M., F618

Uchida, S., F20, F827
Ujiie, K., F684
Uyama, O., F472

Vanholder, R., F662
Vari, R. C., F874
Velázquez, H., F128
Venkatraman, E. S., F1052
Verbalis, J. G., F968
Vernimmen, C., F354
Vinay, P., F655
Vitek, F., F480

Wang, S., F981
Wang, T., F730
Wang, W., F502
Wang, X., F94, F453
Wang, Y.-P., F737
Warden, D. H., F670
Ware, M. W., F435
Weiss, R. H., F441
Wesson, D. E., F899
Wetzels, J. F. M., F94
Wilcox, J. N., F981
Williams, A., F79
Williams, D., F968
Williams, J. C., Jr., F328
Wilson, C. B., F158, F774
Windhager, E. E., F557, F565
Wolf, G., F199
Wright, S. H., F948
Wu, X., F715
Wunz, T. M., F948

Xia, Y., F774

Yalla, S., F808
Yamaguchi, I., F280
Yamamoto, T., F158
Yamauchi, A., F20
Yanagawa, N., F737
Yang, C.-W., F923
Yang, T., F684
Yasunari, K., F24, F678
Yip, K.-P., F427
Yokokawa, K., F24, F678
Yoshimura, T., F774

Zahner, G., F199
Zalups, R. K., F53
Zeidel, M. L., F808
Zou, A., F629